

- Uji Chi Square

1. Keseluruhan WCC dengan SDQ

**Ways Of Coping Checklist * Strength and Difficulties Questionnaire
Crosstabulation**

Count

		Strength and Difficulties Questionnaire			
		Abnormal	Borderline	Normal	Total
Ways Of Coping Checklist	Rendah	0	16	18	34
	Sedang	11	35	63	109
	Tinggi	6	11	21	38
Total		17	62	102	181

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	7.111 ^a	4	.130
Likelihood Ratio	9.869	4	.043
Linear-by-Linear Association	.753	1	.385
N of Valid Cases	181		

a. 2 cells (22.2%) have expected count less than 5. The minimum expected count is 3.19.

Tidak ada hubungan

2. WCC PFC dengan SDQ Difficult

Problem Focused Coping * Difficulties Crosstabulation					
Count		Difficulties			Total
		Abnormal	Borderline	Normal	
Problem Focused Coping	Rendah	8	14	13	35
	Sedang	24	33	42	99
	Tinggi	13	9	25	47
Total		45	56	80	181

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	4.768 ^a	4	.312
Likelihood Ratio	4.987	4	.289
Linear-by-Linear Association	.411	1	.522
N of Valid Cases	181		

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.70.

Tidak ada hubungan

3. WCC PFC dengan SDQ Strength

Problem Focused Coping * Strength Crosstabulation

Count		Strength			Total
		Abnormal	Borderline	Normal	
Problem Focused Coping	Rendah	5	9	21	35
	Sedang	3	13	83	99
	Tinggi	1	3	43	47
Total		9	25	147	181

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	15.757 ^a	4	.003
Likelihood Ratio	13.930	4	.008
Linear-by-Linear Association	12.394	1	.000
N of Valid Cases	181		

a. 4 cells (44.4%) have expected count less than 5. The minimum expected count is 1.74.

Ada hubungan

4. WCC EFC dengan SDQ Difficult

Emotion Focused Coping * Difficulties Crosstabulation

Count

		Difficulties			Total
		Abnormal	Borderline	Normal	
Emotion Focused Coping	Rendah	8	12	15	35
	Sedang	25	38	52	115
	Tinggi	12	6	13	31
Total		45	56	80	181

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	4.612 ^a	4	.330
Likelihood Ratio	4.484	4	.344
Linear-by-Linear Association	.631	1	.427
N of Valid Cases	181		

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 7.71.

Tidak ada hubungan

5. WCC EFC dengan SDQ Strength

Emotion Focused Coping * Strength Crosstabulation

Count		Strength			Total
		Abnormal	Borderline	Normal	
Emotion Focused Coping	Rendah	3	10	22	35
	Sedang	5	12	98	115
	Tinggi	1	3	27	31
Total		9	25	147	181

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	9.857 ^a	4	.043
Likelihood Ratio	8.661	4	.070
Linear-by-Linear Association	5.431	1	.020
N of Valid Cases	181		

a. 4 cells (44.4%) have expected count less than 5. The minimum expected count is 1.54.

Ada hubungan