

```

CROSSTABS
  /TABLES=KM BY KS
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ
  /CELLS=COUNT
  /COUNT ROUND CELL.

```

Crosstabs

Notes		
Output Created		14-NOV-2025 09:52:00
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	140
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=KM BY KS /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT /COUNT ROUND CELL.
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,01

Dimensions Requested	2
Cells Available	524245

Case Processing Summary

	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Kebiasaan Merokok * Kualitas Sperma	140	100.0%	0	0.0%	140	100.0%

Kebiasaan Merokok * Kualitas Sperma Crosstabulation

Count

		Kualitas Sperma		Total
		Normal	Abnormal	
Kebiasaan Merokok	Tidak Merokok	39	47	86
	Merokok	22	32	54
Total		61	79	140

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.286 ^a	1	.592		
Continuity Correction ^b	.130	1	.719		
Likelihood Ratio	.287	1	.592		
Fisher's Exact Test				.605	.360
Linear-by-Linear Association	.284	1	.594		
N of Valid Cases	140				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 23.53.

b. Computed only for a 2x2 table

```

CROSSTABS
  /TABLES=KM BY P1 P2 P3
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ

```

/CELLS=COUNT EXPECTED
/COUNT ROUND CELL.

Crosstabs

Notes		
Output Created		14-NOV-2025 10:41:55
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	140
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=KM BY P1 P2 P3 /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED /COUNT ROUND CELL.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,07
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Kebiasaan Merokok * Konsentrasi	140	100.0%	0	0.0%	140	100.0%
Kebiasaan Merokok * Morfologi	140	100.0%	0	0.0%	140	100.0%
Kebiasaan Merokok * Mobilitas Sperma	140	100.0%	0	0.0%	140	100.0%

Kebiasaan Merokok * Konsentrasi

Crosstab

			Konsentrasi		Total
			Normal	Abnormal	
Kebiasaan Merokok	Tidak Merokok	Count	39	47	86
		Expected Count	38.7	47.3	86.0
	Merokok	Count	24	30	54
		Expected Count	24.3	29.7	54.0
Total	Count		63	77	140
	Expected Count		63.0	77.0	140.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.011 ^a	1	.917		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.011	1	.917		
Fisher's Exact Test				1.000	.528
Linear-by-Linear Association	.011	1	.917		

N of Valid Cases	140				
------------------	-----	--	--	--	--

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 24.30.

b. Computed only for a 2x2 table

Kebiasaan Merekok * Morfologi

Crosstab

			Morfologi		
			Normal	Abnormal	Total
Kebiasaan Merekok	Tidak Merokok	Count	71	15	86
		Expected Count	71.9	14.1	86.0
	Merokok	Count	46	8	54
		Expected Count	45.1	8.9	54.0
Total		Count	117	23	140
		Expected Count	117.0	23.0	140.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.167 ^a	1	.683		
Continuity Correction ^b	.030	1	.862		
Likelihood Ratio	.169	1	.681		
Fisher's Exact Test				.816	.436
Linear-by-Linear Association	.166	1	.684		
N of Valid Cases	140				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.87.

b. Computed only for a 2x2 table

Kebiasaan Merekok * Mobilitas Sperma

Crosstab

			Mobilitas Sperma Normal	Total
Kebiasaan Merokok	Tidak Merokok	Count	86	86
		Expected Count	86.0	86.0
	Merokok	Count	54	54
		Expected Count	54.0	54.0
	Total	Count	140	140
		Expected Count	140.0	140.0

Chi-Square Tests

	Value
Pearson Chi-Square	. ^a
N of Valid Cases	140

a. No statistics are computed because Mobilitas Sperma is a constant.