

```
CROSSTABS
  /TABLES=KM BY P1 P2 P3 KS
  /FORMAT=AVALUE TABLES
  /STATISTICS=CHISQ
  /CELLS=COUNT EXPECTED
  /COUNT ROUND CELL.
```

Crosstabs

Notes		
Output Created		14-NOV-2025 12:57:53
Comments		
Input	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	140
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=KM BY P1 P2 P3 KS /FORMAT=AVALUE TABLES /STATISTICS=CHISQ /CELLS=COUNT EXPECTED /COUNT ROUND CELL.
Resources	Processor Time	00:00:00,05
	Elapsed Time	00:00:00,06
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Kebiasaan Merekok * Konsentrasi	140	100.0%	0	0.0%	140	100.0%
Kebiasaan Merekok * Motilitas	140	100.0%	0	0.0%	140	100.0%
Kebiasaan Merekok * Morfologi Sperma	140	100.0%	0	0.0%	140	100.0%
Kebiasaan Merekok * Kualitas Sperma	140	100.0%	0	0.0%	140	100.0%

Kebiasaan Merekok * Konsentrasi

Crosstab

			Konsentrasi		Total
			Normal	Abnormal	
Kebiasaan Merekok	Tidak Merokok	Count	39	47	86
		Expected Count	38.7	47.3	86.0
	Merokok	Count	24	30	54
		Expected Count	24.3	29.7	54.0
Total		Count	63	77	140
		Expected Count	63.0	77.0	140.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.011 ^a	1	.917		
Continuity Correction ^b	.000	1	1.000		
Likelihood Ratio	.011	1	.917		
Fisher's Exact Test				1.000	.528
Linear-by-Linear Association	.011	1	.917		
N of Valid Cases	140				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 24.30.

b. Computed only for a 2x2 table

Kebiasaan Merekok * Motilitas

Crosstab

			Motilitas		Total
			Normal	Abnormal	
Kebiasaan Merekok	Tidak Merokok	Count	71	15	86
		Expected Count	71.9	14.1	86.0
	Merokok	Count	46	8	54
		Expected Count	45.1	8.9	54.0
Total		Count	117	23	140
		Expected Count	117.0	23.0	140.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.167 ^a	1	.683		
Continuity Correction ^b	.030	1	.862		
Likelihood Ratio	.169	1	.681		
Fisher's Exact Test				.816	.436
Linear-by-Linear Association	.166	1	.684		
N of Valid Cases	140				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 8.87.

b. Computed only for a 2x2 table

Kebiasaan Merokok * Morfologi Sperma

Crosstab					
			Morfologi Sperma		
			Normal	Total	
Kebiasaan Merokok	Tidak Merokok	Count	86	86	
		Expected Count	86.0	86.0	
	Merokok	Count	54	54	
		Expected Count	54.0	54.0	
	Total		Count	140	140
			Expected Count	140.0	140.0

Chi-Square Tests

	Value
Pearson Chi-Square	.a
N of Valid Cases	140

a. No statistics are computed because Morfologi Sperma is a constant.

Kebiasaan Merokok * Kualitas Sperma

Crosstab					
			Kualitas Sperma		
			Normal	Abnormal	Total
Kebiasaan Merokok	Tidak Merokok	Count	39	47	86
		Expected Count	37.5	48.5	86.0
	Merokok	Count	22	32	54
		Expected Count	23.5	30.5	54.0
Total		Count	61	79	140
		Expected Count	61.0	79.0	140.0

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	.286 ^a	1	.592		
Continuity Correction ^b	.130	1	.719		
Likelihood Ratio	.287	1	.592		
Fisher's Exact Test				.605	.360
Linear-by-Linear Association	.284	1	.594		
N of Valid Cases	140				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 23.53.
b. Computed only for a 2x2 table

